

ATTACHMENT NO. 10

WELL BORE DIAGRAMS FOR THE UIC WELL

Ute Tribal 03-04 Well History

Well History:

Spud Well: 10/25/1996

Completed: 12/1/1996

First Production: 12/12/1996

Tops (KB):

BMSW* Found at 510'

Green River 1476'

A Marker 4186'

X Marker 4679'

Douglas Creek 4824'

B Limestone 5216'

Castle Peak 5781'

Basal Carbonate 6194'

Perf History:

11/23/1996

D3	5298' to 5304'
D7	5520' to 5526'
D7	5560' to 5566'
D7	5606' to 5612'
E01.1	5846' to 5850'

5/24/2012

B4	4282' to 4299'
C05.2	4917' to 4920'
C08.1	5082' to 5084'
C09.1	5152' to 5154'
C09.2	5173' to 5175'
D3	5295' to 5298'
D3	5304' to 5308'
D7	5601' to 5606'
D7	5612' to 5616'

Petroglyph Operating Co., Inc.

Ute Tribal #03-04

(360' FNL & 460' FWL)


Lot 4 Section 3, 5S- 3W

Antelope Creek Field

Duchesne Co. Utah

API#: 43013317360000

*Plate 4 Utah Geological Survey Special Study 144.
(2012).Depth to the BSMW, Uinta Basin, Utah, Plate 4
[map]. (CA 1:200,000)



GL: 5892'

KB: 5902'

8 5/8" 24# Surface CSG @ 428' KB

cmt'd w/250 sx

Surface Hole size 12 1/4"

Cement top @ 2840' KB

5 1/2" 15.5# J-55 CSG @ 6521'

cmt'd w/420 sx

Hole Size 7 7/8" bit

Perf's:

B4 4282' to 4299'

C05.2 4917' to 4920'

C08.1 5082' to 5084'

C09.1 5152' to 5154'

C09.2 5173' to 5175'

D3 5295' to 5298'

D3 5298' to 5304'

D3 5304' to 5308'

D7 5520' to 5526'

D7 5560' to 5566'

D7 5601' to 5606'

D7 5606' to 5612'

D7 5612' to 5616'

E01.1 5846' to 5850'

PBTD @ 6493'

TD @ 6550' KB

(Not to Scale)

Ute Tribal 03-04 Injection

Well History:

Spud Well: 10/25/1996

Completed: 12/1/1996

First Production: 12/12/1996

Tops (KB)

BMSW* Found at 510'

Green River 1476'

A Marker 4186'

X Marker 4679'

Douglas Creek 4824'

B Limestone 5216'

Castle Peak 5781'

Basal Carbonate 6194'

Injection Packer @ 4192'

Petroglyph Operating Co., Inc.

Ute Tribal #03-04

(360' FNL & 460' FWL)

Lot 4 Section 3, 5S- 3W

Antelope Creek Field

Duchesne Co. Utah

API#: 43013317360000

*Plate 4 Utah Geological Survey Special Study 144.

(2012).Depth to the BSMW, Uinta Basin, Utah, Plate 4 [map].

(CA 1:200,000)

GL: 5892'

KB: 5902'

8 5/8" 24# Surface CSG @ 428' KB

cmt'd w/250 sx

Surface Hole size 12 1/4"

Hole Size 7 7/8" bit

Cement top @ 2840' KB

5 1/2" 15.5# J-55 CSG @ 6521'

cmt'd w/420 sx

Tubing 2 7/8" 6.5# J55

Perf's:

B4 4282' to 4299'

C05.2 4917' to 4920'

C08.1 5082' to 5084'

C09.1 5152' to 5154'

C09.2 5173' to 5175'

D3 5295' to 5298'

D3 5298' to 5304'

D3 5304' to 5308'

D7 5520' to 5526'

D7 5560' to 5566'

D7 5601' to 5606'

D7 5606' to 5612'

D7 5612' to 5616'


Add E01.1 5840' to 5844'

E01.1 5846' to 5850'

Add E01.1 5850' to 5855'

PBTD @ 6493'

TD @ 6550'



(Not to Scale)

Ute Tribal 03-04 Plug and Abandonment

